



गुरु घासीदासविश्वविद्यालय, बिलासपुर छ.ग.
GURU GHASIDAS VISHWAVIDYALAYA, BILASPUR (C.G.)

केंद्रीय विश्वविद्यालय अधिनियम 2009 के अंतर्गतस्थापितविश्वविद्यालय
(A Central University established by the Central Universities Act, 2009)
Phone 07752-260207, fax 07752-260154 Website www.ggu.ac.in

No/ 24 /Engg/2013

Bilaspur. Date. 07 / 01 /2013

NOTICE INVITING QUOTATIONS

Sealed quotations are invited from contractors/reputed fabricators, manufactures by speed post/registered post only for the Construction of Boundary wall near type-2 A block .The sealed quotation will be received in the office of undersigned by 04:00 PM on 14 / 01/2014 and opened at 05:00 PM on the same day.

S. No	Construction of Boundary wall near type-2 A block	Estimated Cost
01	Construction of Boundary wall with a gourd room as per attached & schedule.	Rs 345152.00

Terms and Conditions

1. Rate are inclusive of all taxes.
2. Time allowed for this work is one month.
3. Payment shall be deducted as applicable.
4. Income tax shall be deducted as applicable.
5. Quality of work shall be as per CPWD manual.
6. The information about quotation please contact with University Engineer in office at working hours.

CC.No. 25 /Engg/2013

1. PA to Registrar, for information to Registrar.
2. Finance Officer, for information.
3. Registered contractor.
4. CSIT for upload in our website.
5. Notice Board.

University Engineer
Bilaspur Date 07 / 01/2013

Assistant Engineer

To,
The Registrar
Guru Ghasidas Vishwavidyalaya
Bilaspur (CG)

Sub: Your enquiry no. S.No. /Engg/2013 Bilaspur. Date / /2013

Percentage rates are being given as follows:

Construction of Boundary wall near type -2A block

S.O.R ITEM NO	ITEM DESCRIPTION	QTY	UNIT	RATE	Total value
2.8	Earth work in excavation by mechanical means (Hydraulic Excavator)/ manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sum on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m.				
2.8.1	All kinds of soil	1.60	cum		
2.27	Supplying and filling in plinth with Local sand under floors including, watering, ramming consolidating and dressing complete.	1.78	cum		
20.3	Boring, Providing and installing cast in situ single under reamed piles of specified diameter and length below pile cap in M 35 cement concrete, to carry a safe working load not less than specified, excluding the cost of steel reinforcement but including the cost of boring with bentonite solution and the length of the pile to be embedded in pile cap etc. all complete. (Length of pile for payment shall be measured upto to the bottom of pile cap) :				
20.3.1	300 mm dia piles.	85	mtr.		
5.1.2	1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size)	11.800	Cum		
5.9	Centring and shuttering including strutting, propping etc. and removal of form for :				
5.9.6	Columns, Pillars, Piers, Abutments, Posts and Struts.	70.00	sqm		
5.9.5	Lintels, beams, plinth beams, girders, bressumers and cantilevers.	56.00	sqm		
5.9.3	Suspended floors, roofs, landings, balconies and access platform.	7.29	Cum		
5.22	Reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete.				
5.22.6	Thermo-Mechanically Treated bars.	1199.00	Kg		

6.4	Brick work with F.P.S. bricks of class designation 75 in superstructure above plinth level upto floor V level in all shapes and sizes in :				
6.4.2	Cement mortar 1:6 (1 cement : 6 coarse sand)	40.00	Cum		
13.4	15 mm cement plaster on rough side of single or half brick wall of mix :				
13.	1:6 (1 cement : 6 coarse sand)	170.00	sqm		
13.4	12 mm cement plaster on rough side of single or half brick wall of mix :				
13.4.2	1:6 (1 cement : 6 coarse sand)	170	sqm		
10.5	Providing and fixing 1mm thick M.S. sheet door with frame of 40x40x6mm angle iron and 3mm M.S. gusset plates at the junctions and corners, all necessary fittings complete, including applying a priming coat of approved steel primer.				
10.5.2	Using flats 30x6mm for diagonal braces and central cross piece.	4.00	sqm		
13.47.1	New work (Two or more coats applied @ 1.43 ltr/ 10 sum. over and including base coat of water proofing cement paint applied @ 2.20 kg/ 10 sum).	35.00	sqm		
9.48	Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. all complete.				
9.48.1	Fixed to steel windows by welding.	40.00	kg		
4.1.5	1:3:6 (1 Cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size).	1.20	cum		

Note: Rate should be quoted in appropriate column.

Seal and Signatures of the Firm

I/we have done myself/our self fully satisfied to read & examine the notice inviting quotation, general conditions contract, all specials conditions & specifications of work, applicable specifications, drawings, designs, applicable schedule of rates, descriptions, all the rules in respect of contract and all other contents in the notice and here by agreed for execution of the said specified work for the University Authority within the time period in accordance with that at the rate as quoted.

Dated.....

Signatures of the Firm

Postal Address:

Witness:

Address:

Occupations: