



## GURU GHASIDAS VISHWAVIDYALAYA, BILASPUR (C.G.)

(A Central University established by the Central Universities Act, 2009N o. 25 of 2009)  
Website: [www.ggu.ac.in](http://www.ggu.ac.in), Phone:07752-260342, 260381, FAX 07752-260154,260148

No. 824 / Edu./LTI/2013

Bilaspur, Date-01.05.2013

### Limited tender enquiry

To,

**Subject:** Limited tender enquiry

Please quote your competitive rates for supply & installation of the articles as mentioned below in the prescribed proforma Annexur-1 so as to reach to the office of HOD (Education), Guru Ghasidas Vishwavidyalaya, Koni, Bilaspur-495009 (CG) on or before 15.05.2013 through speed post/ Registered post/ Courier only.

No.	Product	Description/specification	Qty.
•	Strong 2 Pin Binaural without Telecoil	Hearing Aids Binaural without Telecoil	02
•	Moderate 2 Pin Binaural With Telecoil	Hearing Aids Binaural With Telecoil	02
•	Strong 2 Pin Binaural with Telecoil	Hearing Aids Binaural With Telecoil	02
•	Solar Battery Charger & Rechargeable Batteries	Solar Battery Charger for the hearing aids with Rechargeable Batteries	01
•	Behind The Ear (BTE-Type) Hearing Aids	Based on Latest SMD Technology. Compact cordless & skin coloured BTE type hearing aid Preferably, Lightweight / Telecoil mode/ easy Volume Adjusting switch / Fitment Range - moderate to severe hearing losses	01
•	Behind The Ear Hearing Aid- Digital	Based on Latest Digital Technology. Compact cordless & skin coloured BTE type hearing aid Preferably, Program change push Button for microphone mode/ Telecoil mode/ Volume Adjusting switch / Fitment Range - moderate to severe hearing losses.	01

•	Speech Trainer	Microphone inputs for Teacher & Student, CD-input, Stereo Headphone output , Selectable combinations of headphone channels: L, R, L+R , Tone Controls, LED/LCD Bar graph VU meter Level control, Operating Power: 230 V(+/- 10%), 50 Hz.	01
•	Digital Diagnostic Audiometer	<p>PureTone/Speech/Tone Decay tests  AC/BC/FF outputs  PC connectivity  Precise frequencies &amp; dB steps  Bright at least 16 x 2 LCD/LED display  <b>Channels:</b> Two separate channels, switchable between stimulus or masking  <b>Frequencies:</b> 250, 500, 750, 1000, 1500, 2000, 3000, 4000, 6000, 8000 Hz or Higher  <b>Accuracy:</b> Frequency: 0.05%  Hearing Level Electrical: within +/- 1dB at least (or preferably lesser than this) of indication  <b>Calibration</b> Individual calibration of Phone L &amp; R and Bone. Calibration  <b>Distortion:</b> Tone: &lt; .1%  <b>Masking:</b> Contra-lateral, Broadband Noise  <b>Attenuator:</b>-10 to 120 dB in steps of 5 dB or finer than this  <b>External Inputs:</b> Speech/Talkover Microphone, Patient Microphone  <b>Outputs:</b> AC output for Left &amp; Right headphones  BC output for Bone Conductor  Stereo Free Field output (to be connected to stereo free field amplifier)  <b>Display:</b> Backlit LCD/LED, with max. information and Bar Graph for Microphone signal  <b>Patient:</b> Talkover microphone, talk back microphone &amp; amplifier.  <b>Power Supply:</b> AC 230V +/- 10%, 50 - 60 H  <b>Operating Temperature:</b> at least 15° - 40° C  <b>Environment Humidity:</b> at least 30 - 90 % NC</p>	01
•	Free Field Amplifier High Quality Speaker	High quality amplification, Good sound quality	01

•	Audiometer	Pure Tone Microprocessor Controlled Stenger Test Tone decay Test ABLB Speech Free Field Optional B.C. TESTING at least upto 80 dB TEST B.C. at least upto 8000 Hz SISI (Auto Calculation of Scores) & Lutscher (Synchronised Automation) Speech Noise Masking Narrow Band Masking Accuracy, stable calibration Pulse Tone	01
•	<b>Bender Gestalt Visuo-Motor Test</b>	Visuo-Motor Test	01
•	<b>Mirror Drawing (Electrical)</b>	Test of Bilateral Learning (Electrical)	05
•	<b>Grade Level Assessment Device for children with learning problems in regular schools (GLAD)</b>	Grade Level Assessment Device for children with learning problems	03
•	<b>Peabody Individual Achievement Test</b>	Individual Achievement Test	02
•	<b>Denver's Developmental Screening Test</b>	Developmental Screening Test	02
•	<b>Minnesota Multi-phasic Personality Inventory</b>	Multi-phasic Personality Inventory	03
•	<b>Revens Coloured Progressive Matrices ( CPM)</b>	Intelligence test	01
•	<b>Marianne Frostig Test of visual Perception</b>	Test of visual Perception	02
•	<b>Peabody Picture Vocabulary Test</b>	Measure of receptive vocabulary	02
•	<b>Aston Index for Screening children with Learning Difficulties</b>	Screening children with Learning Difficulties	02
•	<b>Gessell's Drawing test</b>	Performance test & screening measures of intelligence	02
•	<b>Meadow Kendall Social Emotional Maturity Scale</b>	Social Emotional Maturity Scale	01

• <b>Vineland Social Maturity scale</b>	Social Maturity scale	03
• <b>Ear Model (Large)</b>	Above or Nearly 12" of height	02
• <b>Larynx Model</b>	Above or Nearly 12" of height	02
• <b>Toys &amp; Play Material</b>	Suitable for LD and HI	10
• <b>Mirrors (Large size)</b>	Minimum 4'	04

### **General terms & conditions of the supply**

1. The sealed quotation should be superscribed with “**Quotation for supply & installation of HI equipments**”
2. **Quantity:** The quantity mentioned above is indicative and may increase or decrease at the time of placing purchase Order.
3. **Make/Brand :** The bidder should mention the make/brand of the quoted article for which he is OEM/authorized distributor/stockist/dealer. The authorization certificate, technical brochure/leaflet etc. should be submitted along with the quotation.
4. **Discount, if any:** Special concession/ discount applicable for Educational Institutions, if any, must be clearly mentioned at the time of submission of quotation.
5. **Excise duty exemption:** The University is exempted from Custom/Excise Duty by DSIR, Govt. of India vide letter no. TU/V/RG-CDE (710)/2010 dated 19-01-11. The Exemption certificate of the same shall be issued by the University on demand.
6. **If the item is under DGS&D rate contract, the quoted price should not be more than the DGS&D rate.**
7. The rate should be quoted on F.O.R. University Campus, Koni, Bilaspur basis. No. packing/forwarding charges will be paid extra.
8. The article must be delivered without any extra cost at the University and will also have to be installed free of cost.
9. Validity of rate: The quoted rate should be valid for a minimum period of 90 days.
10. Delivery period: The article to be delivered & installed within 30 days from the issue of purchase Order.
11. **Liquidated Damages:** Any delay in supplying the article from the stipulated date of delivery, will attract LD. Liquidated Damage will be applicable at the rate of 0.5% per week and limited to 10% maximum. The authority reserves the right to cancel the purchase order when LD accumulates to 10%.
12. **Warranty:** One year comprehensive on-site warranty shall be applicable to the supplied goods for all manufacturing defects from the date of satisfactory installation, commissioning, demonstration and acceptance.
13. **Performance Security:** The successful bidder must submit Performance security of 5.0% of the ordered value, on the goods/services supplied irrespective of the origin, within fifteen days of issue of purchase order in form of Demand Draft/ TDR/Bank Guarantee from any Nationalized Bank. Otherwise, the same amount will be deducted from the billed amount. On satisfactory completion of the warranty period of 1 year (12months), Performance Security will be released without any interest on demand.
14. **Payment:** 100% payment will be made after supply and installation of ordered quantity of article at our end in good condition. No advance or partial payment request will be entertained.
15. **CST/VAT** will be paid extra, if applicable provided it is made clear in the quotation.
16. Unsealed quotations will be rejected and quotations must reach on or before the due date through speed post/Registered Post/ courier only.
17. University reserves the right to accept or reject any quotation without assigning any reason thereof.

**HOD (Education)**

Rates of HI equipments

Ref.:...../ Edu./ LTI/ 2013 dated.....

No.	Product	Description/specification	Qty	Rate	Vat Taxes (If any)	Remark
•	Strong 2 Pin Binaural without Telecoil	Hearing Aids Binaural without Telecoil	02			
•	Moderate 2 Pin Binaural With Telecoil	Hearing Aids Binaural With Telecoil	02			
•	Strong 2 Pin Binaural with Telecoil	Hearing Aids Binaural With Telecoil	02			
•	Solar Battery Charger & Rechargeable Batteries	Solar Battery Charger for the hearing aids with Rechargeable Batteries	01			
•	Behind The Ear (BTE-Type) Hearing Aids	Based on Latest SMD Technology. Compact cordless & skin coloured BTE type hearing aid Preferably, Lightweight / Telecoil mode/ easy Volume Adjusting switch / Fitment Range - moderate to severe hearing losses	01			
•	Behind The Ear Hearing Aid- Digital	Based on Latest Digital Technology. Compact cordless & skin coloured BTE type hearing aid Preferably, Program change push Button for microphone mode/ Telecoil mode/ Volume Adjusting switch / Fitment Range - moderate to severe hearing losses.	01			

•	Speech Trainer	Microphone inputs for Teacher & Student, CD-input, Stereo Headphone output , Selectable combinations of headphone channels: L, R, L+R , Tone Controls, LED/LCD Bar graph VU meter Level control, Operating Power: 230 V(+/- 10%), 50 Hz.	01			
---	----------------	---	----	--	--	--

•	Digital Diagnostic Audiometer	<p>PureTone/Speech/Tone Decay tests AC/BC/FF outputs PC connectivity</p> <p>Precise frequencies &amp; dB steps Bright at least 16 x 2 LCD/LED display</p> <p><b>Channels:</b> Two separate channels, switchable between stimulus or masking</p> <p><b>Frequencies:</b> 250, 500, 750, 1000, 1500, 2000, 3000, 4000, 6000, 8000 Hz or Higher</p> <p><b>Accuracy:</b> Frequency: 0.05% Hearing Level Electrical: within +/- 1dB at least (or preferably lesser than this) of indication</p> <p><b>Calibration</b> Individual calibration of Phone L &amp; R and Bone. Calibration</p> <p><b>Distortion:</b> Tone: &lt; .1%</p> <p><b>Masking:</b> Contra-lateral, Broadband Noise</p> <p><b>Attenuator:</b> -10 to 120 dB in steps of 5 dB or finer than this</p> <p><b>External Inputs:</b> Speech/Talkover Microphone, Patient Microphone</p> <p><b>Outputs:</b> AC output for Left &amp; Right headphones BC output for Bone Conductor Stereo Free Field output (to be connected to stereo free field amplifier)</p> <p><b>Display:</b> Backlit LCD/LED, with max. information and Bar Graph for Microphone signal</p> <p><b>Patient:</b> Talkover microphone, talk back microphone &amp;</p>	01		
---	-------------------------------	--	----	--	--

•	Free Field Amplifier High Quality Speaker	High quality amplification, Good sound quality	01			
•	Audiometer	Pure Tone Microprocessor Controlled Stenger Test Tone decay Test ABLB Speech Free Field Optional B.C. TESTING at least upto 80 dB TEST B.C. at least upto 8000 Hz SISI (Auto Calculation of Scores) & Lutscher (Synchronised Automation) Speech Noise Masking Narrow Band Masking Accuracy, stable calibration Pulse Tone	01			
•	<b>Bender Gestalt Visuo-Motor Test</b>	Visuo-Motor Test	01			
•	<b>Mirror Drawing (Electrical)</b>	Test of Bilateral Learning (Electrical)	05			
•	<b>Grade Level Assessment Device for children with learning problems in regular schools (GLAD)</b>	Grade Level Assessment Device for children with learning problems	03			
•	<b>Peabody Individual Achievement Test</b>	Individual Achievement Test	02			
•	<b>Denver's Developmental Screening Test</b>	Developmental Screening Test	02			
•	<b>Minnesota Multi- phasic Personality Inventory</b>	Multi-phasic Personality Inventory	03			
•	<b>Revens Coloured Progressive Matrices ( CPM)</b>	Intelligence test	01			
•	<b>Marianne Frostig Test of visual Perception</b>	Test of visual Perception	02			



•	<b>Peabody Picture Vocabulary Test</b>	Measure of receptive vocabulary	02			
•	<b>Aston Index for Screening children with Learning Difficulties</b>	Screening children with Learning Difficulties	02			
•	<b>Gessell's Drawing test</b>	Performance test & screening measures of intelligence	02			
•	<b>Meadow Kendall Social Emotional Maturity Scale</b>	Social Emotional Maturity Scale	01			
•	<b>Vineland Social Maturity scale</b>	Social Maturity scale	03			
•	<b>Ear Model (Large)</b>	Above or Nearly 12" of height	02			
•	<b>Larynx Model</b>	Above or Nearly 12" of height	02			
•	<b>Toys &amp; Play Material</b>	Suitable for LD and HI	10			
•	<b>Mirrors (Large size)</b>	Minimum 4'	04			

I..... declare that the rates will be valid for six months.

Date:

Signature and Seal of Tenderer

Mobile No.....